

SAMVY[®] Plus Cough Syrup

Ivy Leaf Extract with Thyme,
Licorice & Vasica

For all ages and all types of cough

DESCRIPTION:

SAMVY[®] Plus cough syrup contains ivy leaf extract, thyme extract, licorice extract and vasica extract which are well known for their beneficial role as expectorants, cough suppressants and for their soothing properties

SAMVY[®] Plus cough syrup is an effective solution which liquefy the mucus, relaxes convulsive cough and calms coughing. SAMVY[®] Plus combats the typical complaints of bronchitis: increased formation of viscous mucus, shortness of breath and irritation of the throat. Troublesome and painful coughing is calmed, but not blocked, which is important for being able to cough up the mucus and thereby allow for trouble-free breathing

COMPOSITION:

SAMVY[®] Plus Cough syrup

Each 5ml contains:

Ivy Leaf Extract (<i>Hedera helix</i>)	35 mg
Licorice Extract (<i>Glycyrrhiza glabra</i>).....	21.7 mg
Thyme Extract (<i>Thymus vulgaris</i>)	21.5 mg
Vasica Extract (<i>Adhatoda vasica</i>)	10 mg

Ivy Leaf: Ivy Leaf contains saponins which are considered to have mucolytic, spasmolytic and bronchodilatory effects. It is used as an antitussive and expectorant to relieve cough and typical complaints associated with bronchitis: Increased formation of viscous mucus, shortness of breath and irritation of the throat

Thyme: Thyme works as an antitussive and expectorant. It helps to relieve chest congestion and excess bronchial mucus. Thyme has a variety of natural flavonoids responsible for restoring normal lung function. The beneficial effects of thyme have been documented by EMEA

Licorice: Licorice has soothing effect on the throat and antitussive in action. It helps to reduce throat irritation and dry cough. It contains isoflavones which are mainly responsible for relieving cough and helps to reduce bronchial spasms. The beneficial effects of licorice have been documented by EMEA

Vasica: Adhatoda vasica is considered useful in treating bronchitis, tuberculosis and other lung and bronchiole disorders

INDICATIONS:

- For symptomatic treatment of chronic inflammatory bronchial conditions
- Acute catarrhs (inflammation) of the respiratory tract accompanied with coughing
- Relieves chest congestion, soothes the mucus membrane of bronchial walls and restores normal breathing
- Acts as an antitussive and has a soothing effect on sore throat

DOSAGE & ADMINISTRATION:

Children below 6 years	2.5ml, 2 times daily
Children 6-12 years	5ml, 2 times daily
Children above 12 years and adults	5ml, 3 times daily

For children under the age of one year, please consult your Healthcare Professional

DURATION OF TREATMENT:

Duration of treatment depends on the nature and severity of the condition. However, even in case of mild inflammation of the respiratory tract, treatment should last at least for one week. Further, it can be maintained for 2-3 days after symptoms have subsided to ensure the complete recovery. In the event of persistent complaints such as fever, shortness of breath, hemoptysis, consult a Healthcare Professional immediately

SIDE EFFECTS:

- SAMVY[®] Plus is generally safe and well tolerated
- Allergic reactions, such as skin rash, red itchy skin and shortness of breath reported in some patients
- Gastrointestinal disorders such as nausea, vomiting and diarrhoea have been reported and there may be a laxative effect due to the sorbitol content. If any of the side effects gets severe, or if you notice any side effects not listed in this leaflet, please tell your Healthcare Professional

Important information on certain other ingredients of SAMVY[®] Plus Cough Syrup:

Contains sorbitol.

When used as directed, each 5ml of SAMVY[®] Plus Cough Syrup contains up to 3.8g sorbitol. Please take SAMVY[®] Plus Cough Syrup after consultation with a Healthcare Professional if you have a known intolerance to certain sugar.

Patients with the rare hereditary fructose intolerance should not take SAMVY[®] Plus Cough Syrup

CONTRAINDICATIONS:

Hypersensitivity to any of the ingredient(s)

WARNINGS AND PRECAUTIONS:

- If dyspnea, fever or purulent sputum occurs, consult a Healthcare Professional immediately
- Pregnant and nursing women should consult a Healthcare Professional prior to taking ivy leaf extract syrup
- In case a dose is missed, do not double the dose, continue to take medication as per next schedule
- The intake of licorice extract above 20g/day, over an extended period of time/longer than 6 weeks will lead to hypokalemia, hypertension and cardiac complaints

STABILITY:

See expiry on the pack. Should not be used after expiry date

PRESENTATION:

SAMVY[®] Plus cough syrup in a pack of 120ml

INSTRUCTIONS:

Keep out of reach of children

Avoid exposure to heat, light and freezing

Store below 30°C

Product should not be used if container is leaking

SAMVY® cough syrup contains a plant extract as the active ingredient and its color can therefore occasionally vary, like all preparations made from natural ingredients. This, however, does not affect the therapeutic effectiveness of the preparation

It is a herbal medication, under alternative medicines and health products (enlistment) Rules 2014

سیموی® پلس کھانسی کا شربت

آئی وی ایف ایکسٹریکٹ، تھام،
ملٹھی اور ویدیکا کے ساتھ

بچوں کی پہنچ سے دور رکھیں

دوا کو دھوپ، گرمی اور نمند ہونے سے محفوظ رکھیں۔ ۳۰ ڈگری سینٹی گریڈ

سے کم درجہ حرارت پر رکھیں

دوا کے لیک ہونے کی صورت میں ہرگز استعمال نہ کریں

DRAP Enlistment No. 00174

Mfd. by: Hiranis Pharmaceuticals (Pvt) Ltd.
E-145-149, North Western Industrial Zone,
Port Qasim, Karachi-75020, Pakistan

Mktg. by:

Phytek Phytek (Pvt.) Ltd.
85-B, M.M.A.C.H.S., Karachi



An associate company of:
SAMI Pharmaceuticals (Pvt.) Ltd.
Karachi-Pakistan